


Cap Table Lamp - EU Version





DESCRIPTION

In spite of its simple, geometrical shape, Cap oozes with personality. The inspiration is drawn from the cartoon character Calimero, a charming little chicken with an eggshell on its head, which gave the idea for the large, semicircular lampshade. The shade is rotatable, making it possible to direct the light.

DESIGN

KaschKasch, 2014

MATERIAL

Powder Coated Steel

CONSTRUCTION

Cap is a functional table lamp with a rotatable shade. Its cylindric base with a sloping pole holds the included bulb. The lamp shade slides over the bulb, turning it into a smooth rotation point of the lamp. The shade is white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

2 m textile cord with switch, matching color (white/blush/misty blue/ midnight blue)

DIMMABLE FUNCTION

No

VOLTAGE 220-240 V

MAX LOAD 60 W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II


SOCKET

LIGHT SOURCE - RECOMMENDED Art. No.: 504053, LED E27 EU, not dimmable

Power: 8 W CCT: 2700 K Output: 800 lm Life Span: 15 000 h CRI:~80

GENERAL STANDARD & CERTIFICATES EN 60598-1: 2008 +A11:2009

EN 60598-2-4: 1997
























Cap Table Lamp - US Version





DESCRIPTION

In spite of its simple, geometrical shape, Cap oozes with personality. The inspiration is drawn from the cartoon character Calimero, a charming little chicken with an eggshell on its head, which gave the idea for the large, semicircular lampshade. The shade is rotatable, making it possible to direct the light.

DESIGN

KaschKasch, 2014

MATERIAL

Powder Coated Steel

CONSTRUCTION

Cap is a functional table lamp with a rotatable shade. Its cylindric base with a sloping pole holds the included bulb. The lamp shade slides over the bulb, turning it into a smooth rotation point of the lamp. The shade is white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

2 m textile cord with switch, matching color (white/blush/misty blue/ midnight blue)

DIMMABLE FUNCTION

No

VOLTAGE 120 V

MAX LOAD 60 W

FREQUENCY 60 Hz

IP RATING IP20

CLASSIFICATION Class II

SOCKET E26

LIGHT SOURCE - RECOMMENDED Art. No.: 504063, LED E26 US, not dimmable

Power: 8 W CCT: 2700 K Output: 800 lm Life Span: 15 000 h CRI:~80



