

Enigma 825


Enigma 825 - 5741088768

The fixture emits glare-free, soft, and comfortable downward light. The shade design ensures even illumination of the surface. The matt upper surface diffuses the light, while the glossy lower surface ensures optimal reflection.



Shoichi Uchiyama

Shoichi Uchiyama was born and bred in Tokyo. Since the foundation of Shoichi Uchiyama Design Office in 1977, he has been committed to creation of lighting fixtures with glare-free indirect light that make objects beautiful, and allow people to feel the texture and depth of objects.



Blue Water



Yokohama College of Dental Care and Health Sciences

Product info

Mounting

Suspension type: Cable 2x0,75mm² & wire. Canopy: Yes. Cable length: 4m.

Finish

Aluminium coloured or black wet painted, aluminium. Shades: White or black acrylic.

Materials

Cone and pendant tube: Wet painted aluminium. Wire: Stainless steel. Shades: Acrylic.

Sizes and weights

Width x Height x Length (mm) | 825 x 5500 x 825 Max 10.1 kg

Class

Ingress protection IP20. Electric shock protection I w. ground.

Light source

LED 3000K 57W

Lumen: 3401


Product family



Enigma 425




Enigma 545




Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

Variant number

Canopy White 2-part tophat ©	5749329034
Canopy Black 2-part tophat©	5749329021
Enigma Pendant shade Ø120 w/bush. white	5741086786
Enigma Pendant shade Ø210 white	5741086799
Enigma Pendant shade Ø310 white	5741086809
Enigma Pendant shade Ø422 white	5741086812
Enigma Pendant shade Ø545 white	5741087099
Enigma Pendant shade Ø120 w/bush. black	5741088878
Enigma Pendant shade Ø210 black	5741088881
Enigma Pendant shade Ø310 black	5741088894
Enigma Pendant shade Ø422 black	5741088904
Enigma Pendant shade Ø545 black	5741088917
Enigma Pendant shade Ø680 black	5741088920
Enigma Pendant shade Ø825 black	5741088933
Enigma Pendant shade Ø680 white	5741088946
Enigma Pendant shade Ø825 white	5741088959

Data specifications

Colour

Black

Length

825

Enigma 825

Width	825
Built-in Height	-
Class	I
Standby (W)	-
Inrush Current	-
Kelvin	3000
SDCM	3
Watt	57
Light control	Dali
UGR Transversal / Axial	13.9/13.9
Driver life	100000

Height	5500
IP class	20
Net Weight	10.1
Power Factor (P = 100 % / P = 50 %)	-
Light source	LED 3000K 57W
CRI	90
Lumen	3401
Efficacy	60
Min. Dim Level (%)	1
L80B50 (hours)	>100.000