


# Wohlert

Wohlert - 5741087015

The fixture provides uniform, general and diffused illumination. The opening at the bottom of the glass produces downwards directed light. The quality of the glass ensures that the fixture is evenly lit.



## Vilhelm Wohlert

Vilhelm Wohlert (1920-2007) graduated as an architect from The Royal Danish Academy of Fine Arts in Copenhagen in 1944. During his career, he held the position of professor at The Royal Danish Academy of Fine Arts in Copenhagen from 1968 until 1986, was an Honorary Member of the same institution, where he was also Deputy CEO in the period 1968-71.



## Product info

### Mounting

Suspension type E27: Cable 3x0,75mm<sup>2</sup>. Canopy: Yes. Cable length: 3m. Suspension type LED: Cable 2x1,5mm<sup>2</sup>. Canopy: Yes. LED canopy contains driver. Cable length: 4m.

### Finish

Matt white opal glass.

### Materials

Shade: Mouth-blown matt white opal glass. Pendant tube: Brushed steel.

### Sizes and weights


Width x Height x Length (mm) | 350 x 370 x 350 Max 4.8 kg | 300 x 320 x 300 Max 2.9 kg | 400 x 420 x 400 Max 4.8 kg

### Class

Ingress protection IP20. Electric shock protection I w. ground.


### Light source

1x70W E27




# Light distribution diagrams


Cartesian



Isolux



Polar



## Spare parts & accessories

**Product**

Canopy White 2-part tophat ©  
 Wohlerlert Ø300 Pendant glass  
 Wohlerlert Ø350 Pendant glass  
 Wohlerlert Ø400 Pendant glass  
 WOHLERT PENDANT SUSP 70W E27

**Variant number**

5749329034  
 5741480382  
 5741480395  
 5741480405  
 5741086935

## Data specifications

Colour	White opal glass	Length	400
Width	400	Height	420
Built-in Height	-	IP class	20
Class	I	Net Weight	3.5
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x70W E27

**Wohlert**

Kelvin	-
SDCM	-
Watt	-
Light control	-
UGR Transversal / Axial	<b>7.4/7.4</b>
Driver life	-

CRI	-
Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-